Table B-7. 1997 Point Source Sediment Monitoring
Pesticides and PCBs (dry weight) (page 1 of 3)

	Station and Sample Date											
	RT825N 13-Oct-97		RT412N 13-Oct-97		RT625ND 13-Oct-97		RT700NS 13-Oct-97		RT625SD 13-Oct-97		RT412S 13-Oct-97	
	MDL	Value	MDL	Value	MDL	Value	MDL	Value	MDL	Value	MDL	Value
Total Solids (%)		29.9		31.2		32.5		31.7		29.9		31.6
Compound (µg/kg):												
4,4'-DDD *	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
4,4'-DDE *	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
4,4'-DDT	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Aldrin	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
alpha-BHC	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Aroclor 1016	43.5	<MDL	41.7	<MDL	40.0	<MDL	41.0	<MDL	43.5	<MDL	41.1	<MDL
Aroclor 1221	43.5	<MDL	41.7	<MDL	40.0	<MDL	41.0	<MDL	43.5	<MDL	41.1	<MDL
Aroclor 1232	43.5	<MDL	41.7	<MDL	40.0	<MDL	41.0	<MDL	43.5	<MDL	41.1	<MDL
Aroclor 1242	43.5	<MDL	41.7	<MDL	40.0	<MDL	41.0	<MDL	43.5	<MDL	41.1	<MDL
Aroclor 1248	43.5	<MDL	41.7	<MDL	40.0	<MDL	41.0	<MDL	43.5	<MDL	41.1	<MDL
Aroclor 1254 *	43.5	<MDL	41.7	<MDL	40.0	<MDL	41.0	<MDL	43.5	<MDL	41.1	<MDL
Aroclor 1260	43.5	<MDL	41.7	<MDL	40.0	<MDL	41.0	<MDL	43.5	<MDL	41.1	<MDL
beta-BHC	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Chlordane	22.4	<MDL	21.5	<MDL	20.6	<MDL	21.1	<MDL	22.4	<MDL	21.2	<MDL
delta-BHC *	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Dieldrin	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Endosulfan I	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Endosulfan II	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Endosulfan Sulfate *	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Endrin	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Endrin Aldehyde **	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
gamma-BHC (Lindane)	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Heptachlor	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Heptachlor Epoxide	4.3	<MDL	4.2	<MDL	4.0	<MDL	4.1	<MDL	4.3	<MDL	4.1	<MDL
Methoxychlor	22.4	<MDL	21.5	<MDL	20.6	<MDL	21.1	<MDL	22.4	<MDL	21.2	<MDL
Toxaphene	43.5	<MDL	41.7	<MDL	40.0	<MDL	41.0	<MDL	43.5	<MDL	41.1	<MDL

MDL= method detection limit
* Matrix spike or SRM recovery below acceptance range
** Matrix spike or surrogate recovery <10%

Table B-7. 1997 Point Source Sediment Monitoring
Pesticides and PCBs (dry weight) (page 2 of 3)

	Station and Sample Date											
	RT825S 13-Oct-97		RT1500W 13-Oct-97		AL343N 15-Oct-97		AL172N 15-Oct-97		AL143P 15-Oct-97		AL172S 15-Oct-97	
	MDL	Value	MDL	Value	MDL	Value	MDL	Value	MDL	Value	MDL	Value
Total Solids (%)		30.9		30.4		74.3		75.6		74.7		73.8
Compound (µg/kg):												
4,4'-DDD *	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
4,4'-DDE *	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
4,4'-DDT	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Aldrin	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
alpha-BHC	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Aroclor 1016	42.1	<MDL	42.8	<MDL	17.5	<MDL	17.2	<MDL	17.4	<MDL	17.6	<MDL
Aroclor 1221	42.1	<MDL	42.8	<MDL	17.5	<MDL	17.2	<MDL	17.4	<MDL	17.6	<MDL
Aroclor 1232	42.1	<MDL	42.8	<MDL	17.5	<MDL	17.2	<MDL	17.4	<MDL	17.6	<MDL
Aroclor 1242	42.1	<MDL	42.8	<MDL	17.5	<MDL	17.2	<MDL	17.4	<MDL	17.6	<MDL
Aroclor 1248	42.1	<MDL	42.8	<MDL	17.5	<MDL	17.2	<MDL	17.4	<MDL	17.6	<MDL
Aroclor 1254 *	42.1	<MDL	42.8	<MDL	17.5	<MDL	17.2	<MDL	17.4	<MDL	17.6	<MDL
Aroclor 1260	42.1	<MDL	42.8	<MDL	17.5	<MDL	17.2	<MDL	17.4	<MDL	17.6	<MDL
beta-BHC	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Chlordane	21.7	<MDL	22.0	<MDL	9.0	<MDL	8.9	<MDL	9.0	<MDL	9.1	<MDL
delta-BHC *	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Dieldrin	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Endosulfan I	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Endosulfan II	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Endosulfan Sulfate *	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Endrin	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Endrin Aldehyde **	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
gamma-BHC (Lindane)	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Heptachlor	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Heptachlor Epoxide	4.2	<MDL	4.3	<MDL	1.7	<MDL	1.7	<MDL	1.7	<MDL	1.8	<MDL
Methoxychlor	21.7	<MDL	22.0	<MDL	9.0	<MDL	8.9	<MDL	9.0	<MDL	9.1	<MDL
Toxaphene	42.1	<MDL	42.8	<MDL	17.5	<MDL	17.2	<MDL	17.4	<MDL	17.6	<MDL

MDL= method detection limit
* Matrix spike or SRM recovery below acceptance range
** Matrix spike or surrogate recovery <10%

Table B-7. 1997 Point Source Sediment Monitoring
Pesticides and PCBs (dry weight) (page 3 of 3)

	Station and Sample Date											
	AL343S 15-Oct-97		LSLR03 15-Oct-97		LTBC41 16-Oct-97		KSHZ03 21-Jul-97		KSSN04 21-Jul-97		LSKR01 22-Jul-97	
	MDL	Value	MDL	Value	MDL	Value	MDL	Value	MDL	Value	MDL	Value
Total Solids (%)		72.7		71.6		64.8		80.5		80.1		80.9
Compound (µg/kg):												
4,4'-DDD *	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
4,4'-DDE *	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
4,4'-DDT	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Aldrin	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
alpha-BHC	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Aroclor 1016	17.9	<MDL	18.2	<MDL	20.1	<MDL	16.1	<MDL	16.2	<MDL	16.1	<MDL
Aroclor 1221	17.9	<MDL	18.2	<MDL	20.1	<MDL	16.1	<MDL	16.2	<MDL	16.1	<MDL
Aroclor 1232	17.9	<MDL	18.2	<MDL	20.1	<MDL	16.1	<MDL	16.2	<MDL	16.1	<MDL
Aroclor 1242	17.9	<MDL	18.2	<MDL	20.1	<MDL	16.1	<MDL	16.2	<MDL	16.1	<MDL
Aroclor 1248	17.9	<MDL	18.2	<MDL	20.1	<MDL	16.1	<MDL	16.2	<MDL	16.1	<MDL
Aroclor 1254 *	17.9	<MDL	18.2	<MDL	20.1	<MDL	16.1	<MDL	16.2	<MDL	16.1	<MDL
Aroclor 1260	17.9	<MDL	18.2	<MDL	20.1	<MDL	16.1	<MDL	16.2	<MDL	16.1	<MDL
beta-BHC	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Chlordane	9.2	<MDL	9.4	<MDL	10.3	<MDL	8.3	<MDL	8.4	<MDL	8.3	<MDL
delta-BHC *	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Dieldrin	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Endosulfan I	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Endosulfan II	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Endosulfan Sulfate *	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Endrin	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Endrin Aldehyde **	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
gamma-BHC (Lindane)	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Heptachlor	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Heptachlor Epoxide	1.8	<MDL	1.8	<MDL	2.0	<MDL	1.6	<MDL	1.6	<MDL	1.6	<MDL
Methoxychlor	9.2	<MDL	9.4	<MDL	10.3	<MDL	8.3	<MDL	8.4	<MDL	8.3	<MDL
Toxaphene	17.9	<MDL	18.2	<MDL	20.1	<MDL	16.1	<MDL	16.2	<MDL	16.1	<MDL

MDL= method detection limit
* Matrix spike or SRM recovery below acceptance range
** Matrix spike or surrogate recovery <10%
Shaded areas indicate intertidal station

Table B-8. 1997 Ambient Intertidal Sediment Monitoring Pesticides and PCBs (dry weight)

	Station and Sample Date					
	JSWX01 21-Jul-97		KSXS02 21-Jul-97		MTEC01 21-Jul-97	
	MDL	Value	MDL	Value	MDL	Value
Total Solids (%)		95.8		85.4		93.3
Compound (µg/kg):						
4,4'-DDD *	1.4	<MDL	1.5	<MDL	1.4	<MDL
4,4'-DDE *	1.4	<MDL	1.5	<MDL	1.4	<MDL
4,4'-DDT	1.4	<MDL	1.5	<MDL	1.4	<MDL
Aldrin	1.4	<MDL	1.5	<MDL	1.4	<MDL
alpha-BHC	1.4	<MDL	1.5	<MDL	1.4	<MDL
Aroclor 1016	13.6	<MDL	15.2	<MDL	13.9	<MDL
Aroclor 1221	13.6	<MDL	15.2	<MDL	13.9	<MDL
Aroclor 1232	13.6	<MDL	15.2	<MDL	13.9	<MDL
Aroclor 1242	13.6	<MDL	15.2	<MDL	13.9	<MDL
Aroclor 1248	13.6	<MDL	15.2	<MDL	13.9	<MDL
Aroclor 1254 *	13.6	<MDL	15.2	<MDL	13.9	<MDL
Aroclor 1260	13.6	<MDL	15.2	<MDL	13.9	<MDL
beta-BHC	1.4	<MDL	1.5	<MDL	1.4	<MDL
Chlordane	7.0	<MDL	7.8	<MDL	7.2	<MDL
delta-BHC *	1.4	<MDL	1.5	<MDL	1.4	<MDL
Dieldrin	1.4	<MDL	1.5	<MDL	1.4	<MDL
Endosulfan I	1.4	<MDL	1.5	<MDL	1.4	<MDL
Endosulfan II	1.4	<MDL	1.5	<MDL	1.4	<MDL
Endosulfan Sulfate *	1.4	<MDL	1.5	<MDL	1.4	<MDL
Endrin	1.4	<MDL	1.5	<MDL	1.4	<MDL
Endrin Aldehyde **	1.4	<MDL	1.5	<MDL	1.4	<MDL
gamma-BHC (Lindane)	1.4	<MDL	1.5	<MDL	1.4	<MDL
Heptachlor	1.4	<MDL	1.5	<MDL	1.4	<MDL
Heptachlor Epoxide	1.4	<MDL	1.5	<MDL	1.4	<MDL
Methoxychlor	7.0	<MDL	7.8	<MDL	7.2	<MDL
Toxaphene	13.6	<MDL	15.2	<MDL	13.9	<MDL

MDL= method detection limit
* Matrix spike or SRM recovery below acceptance range
** Matrix spike or surrogate recovery <10%